Staying On Your Feet

A guide to help older adults prevent falls



This guide will help you:

- ✓ Identify what puts you at risk for falls
- ✓ Learn how to prevent falls
- Find local online resources



You can prevent falls

As an older adult, you have a greater chance of falling. A fall can cause serious injury and affect the quality of your life. The good news is that falls can be prevented.

There are many reasons why older adults may fall. These reasons are called 'risk factors'. Knowing your risk factors will help you know what to do to prevent a fall.

The "Staying on your feet" guide helps you know:

- ✓ What puts you at risk of falling
- ✓ What you can do to prevent falls

How to use this guide



Your health care provider will help you:

- 1. Review the <u>My Snapshot</u> tool. This is a list of the risk factors that put older adults at risk of falling. You can return to the tool anytime by clicking on the picture of the camera.
- 2. Identify what puts you at risk and what may be causing this.
- 3. Review what you can do to reduce each risk.
- 4. Find the local and online resources that are available to help you. You can have a printed copy of this information to keep at home or have it sent to you by e-mail so you can review it online.
- 5. Decide what you would like to do and fill out My plan to prevent falls! on pages 34 and 35. By carrying out your plan, you reduce your chance of falling. Even small steps can make a big difference.

You can use this guide again in the future to take another 'snapshot' of your risks and make new plans.

For helpful tips for all older adults, go to <u>You can prevent falls!</u> (page 36) at the end of this guide.

My Snapshot



- 1. Select the risk factors that apply to you.
- 2. Read the information about each risk factor to learn what to do and where to get information or help.

Risk factor	Examples	Page
□ Fear and social	Limiting your activity due to a fear of falling	5
<u>isolation</u>	 Feeling lonely, anxious, or depressed 	
	Unable to get out due to lack of transportation	
□ Medication use	Taking 3 or more medications a day	7
	 Feeling dizzy or unsteady after changing medications 	
	 Taking sedatives, fluid pills, blood pressure pills, or recreational drugs 	
□ <u>Difficulties with</u>	Feeling unsteady or having trouble balancing	9
<u>balance</u>	when standing or walking	
	 Difficulty getting up after sitting or laying down 	
	Difficulty getting out of the bathtub	
□ Physical	 Poor physical fitness due to inactivity 	11
inactivity	 Shuffling feet when walking 	
	 Weak muscles, stiff joints, or arthritis 	
□ Malnutrition	Poor diet, not eating balanced meals	13
	 Missing meals or not eating enough 	
□ <u>Dizziness and</u>	Feeling dizzy or lightheaded	15
<u>fainting</u>	Fainting or losing consciousness	
□ <u>Difficulties with</u>	Blurred, double vision or changes to vision	17
<u>vision</u>	Difficulty seeing steps or walking in dim light	

Continued on the next page

My Snapshot... continued

Risk factor	Examples	Page
□ <u>Indoor hazards</u>	 Floors are cluttered with papers, electrical cords, shoes, or other objects 	19
	Loose mats or area rugs	
	Poor/dim lighting	
	No one to help with household chores	
□ <u>Outdoor</u>	Uneven or icy walkways	21
<u>hazards</u>	Poor/dim lighting	
	Stairs without handrails for support	
	No one to help with home repairs	
□ <u>Difficulties with</u>	Rushing to the bathroom	23
bladder or bowel control	Bladder or bowel leaking or accidents	
□ Memory and/or	Trouble concentrating	25
concentration	Difficulty remembering or changes to memory	
<u>trouble</u>	Alzheimer's disease or other forms of dementia	
□ <u>Substance use</u>	 Having more than 2 standard drinks on any occasion per week 	27
	 Using cannabis products with extremely high THC levels 	
□ Foot health	Shoes that don't fit or support your feet	29
	Pain, swelling, or loss of feeling in your feet	
	Open sores, corns, or thickened toenails	
□ Bone health	 Osteoporosis 	31
	Not enough calcium and vitamin D in your diet	
	Broken bones after a simple fall	
☐ Hearing	Hearing loss or a build-up of wax in your ears	33
difficulties	 Hearing aids that don't work or need cleaning 	

Risk factor: Fear and social isolation



What can cause this? (check all that apply to you)

- ☐ A previous fall or 'near fall'. Falling was such a bad experience that you are afraid to go out. Loss of independence or control in your life or your abilities. Loss of confidence in your abilities. Loss of a loved one. ☐ Feeling lonely, sad, anxious, or depressed. Poor physical or mental health. Not being physically active. Being a caregiver for a loved one. Unable to drive or find transportation to get out. What you can do (check all that may help you) ☐ Think about your fears and what is causing them. This activity can help you know what type of help you need. Call your doctor if you have concerns about your physical or mental health. ☐ Take control of your own safety and be assertive. For example, ask for a seat on a crowded bus. Wear a personal alarm or carry a phone with you. Practice skills to boost self-confidence. Practice thinking positively. □ Talk about your feelings with a family member, close friend, or a health care provider. Attend social events or join a club. Arrange for a volunteer to visit you. Make a plan to gradually become more active. □ Schedule a regular time with friends to meet or call each other and offer
 - □ Call local agencies to see if you can volunteer. For example, agencies such as the Alzheimer Society, Red Cross, United Way, Victorian Order of Nurses (VON), hospitals, schools, or libraries may need volunteers.
 - ☐ Use a taxi or the transit service for older adults in your community.

help.



Resource Name	Contact Information
211 Ontario – ask about local Senior's programs & transportation options	Website: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
Home and Community Support Services Grey Bruce: Adult Day Program	Website: www.hcssgreybruce.com/day-away Phone: (519) 372-2091; Toll-free: 1-800-267-3798
Active Lifestyles Centre Grey Bruce	Website: www.alscgb.ca Phone: (519) 376-8304
Alzheimer Society of Grey Bruce – ask about the Minds in Motion® Program	Website: www.alzheimer.ca/greybruce/en Phone: 519-376-7230
Bluewater Association of Lifelong Learning	Website: www.bluewaterlearns.com Email: info@bluewaterlearns.com
Ontario Caregiver Network	Website: www.ontariocaregiver.ca Helpline: 1-833-416-2273
Transportation	
Saugeen Mobility and Regional Transport	Website: www.saugeenmobility.ca Phone: (519) 881-2504; Toll-free: 1-866-981-2504
Home and Community Support Services Grey Bruce: Transportation Services	Website: www.hcssgreybruce.com/transportation-services Phone: (519) 370-0558
Specialized Transit Service Owen Sound	Phone: (519) 376-7500
Grey Transit Route	Website: www.grey.ca/resident-services/grey-transit-route Phone: 226-910-1001

Risk factor: Medication use



What can cause this? (check all that apply to you)

□ Taking products that could interfere with your prescription medication, such as over-the-counter medications (those you buy without a prescription), vitamins, herbal remedies, cannabis or alcohol. Taking your medications incorrectly. Not being sure what medications you are taking, how many you should take, or why you need to take them. Missing doses or taking too many doses. Taking expired medication. Using someone else's medications. Your doctor and pharmacist are not aware of everything you are taking and the side effects you are having. What you can do (check all that may help you) Use the same pharmacy all the time. ☐ Have your pharmacist review all the medications, vitamins, and herbal remedies you are taking. You can have them reviewed at least once a year and whenever any medication is added, changed, or stopped, free of charge. Before taking any medication, vitamins, or herbal remedies ask your pharmacist about possible side effects and drug interactions. Ask your doctor or pharmacist if you should avoid alcohol. ☐ Follow the directions for taking medications. Ask your pharmacist if you are unclear about how to take something. ■ Tell your doctor or pharmacist about any side effects you are having. Never borrow or lend medications. Keep an up to date list of your medications in your wallet and on the fridge. Return unused or expired medications to your pharmacy. Take prescription and over-the-counter pain medication exactly as directed by your doctor.

Consider using a pill organizer or ask your pharmacy to arrange your

medication by day in "blister packs"



Resource Name	Contact Information
211 Ontario – ask about local pharmacies	Website: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
SouthWesthealthline.ca: Pharmacies in Grey Bruce	Website: https://www.southwesthealthline.ca/listServices.aspx?id="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspx px:
MedsCheck Program (Free)	Contact your local pharmacist Infoline: 1-866-255-6701; TTY: 1-800-387-5599



Risk factor: Difficulties with balance



What can cause this? (check all that apply to you)

Your reflexes may get slower with age.
Getting up /moving too quickly.
Not enough physical activity.
Poor vision or hearing.
Drug interactions or the effects of alcohol.
Shoes that don't fit or support your feet.
Not using the correct walking aids or not using them as directed.
Not enough sleep.
Missing meals or not eating enough.
Medical conditions that affect your muscles, inner ear, or your senses
(hearing, sight, touch, smell, taste).

What you can do (check all that may help you)

- □ Talk with your doctor about your medical conditions and medications. Ask what can help you improve your balance.
- ☐ Take your time. Don't rush to answer the phone or the door.
- ☐ Sit in chairs with armrests and a firm seat and back. Hold the armrests as you get up slowly.
- Use your walking aids as directed. Gradually increase how far and how long you walk.
- ☐ Take part in activities that improve your balance such as Tai Chi.

Check with your health care provider before starting a new exercise program.

- ☐ Visit a physiotherapist for a personal exercise plan to improve your balance. You may need a referral from your doctor.
- ☐ If your vision is poor, see your doctor or optometrist. Make sure you have glasses with the right prescription.
- Wear well-fitting and supportive footwear.
- □ Plan for 3 meals and 1 to 3 small snacks each day. Choose foods from the 3 food groups at each meal.
- Do not drink alcohol.



Resource Name	Contact Information
211 Ontario – ask about Rehabilitation Services, Physiotherapy, Exercise & Fall Prevention Programs	Web: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
SouthWesthealthline.ca: Rehabilitation Services	Web: Outpatient - www.southwesthealthline.ca/listServices.aspx?id= 10826®ion=GreyBruce Web: Private Pay Clinics - www.southwesthealthline.ca/listServices.aspx?id= 10827®ion=GreyBruce
SouthWesthealthline.ca: Physiotherapy Services – Publicly Funded Clinics	Web: <u>www.southwesthealthline.ca/listServices.asp</u> x?id=11019®ion=GreyBruce
SouthWesthealthline.ca: Exercise and Falls Prevention Programs	Web: www.southwesthealthline.ca/listServices.asp x?id=10986®ion=GreyBruce
VON Seniors Maintaining Active Roles Together Exercise Program	Phone: (519) 376-5895 Toll-free: 1-800-265-3138
Boosting Balance - an exercise and education program	Residents of the Municipality of Kincardine and the Township of Huron-Kinloss Web: www.kincardinefht.ca/programs-services/ Phone: 519-396-2700 Owen Sound Family Health Team Open to anyone Web: www.osfht.com/programs-2/aging-well/ Phone: 519-470-3030 x103

Risk factor: Physical inactivity



What can cause this? (check all that apply to you)

- □ Not eating regularly, or not eating enough food to keep up your energy and strength. ☐ You get too tired or out of breath during activity due to heart or lung problems. You smoke cigarettes or cannabis, or use vape products. ☐ Injury, pain, or discomfort. Medical conditions that affect the muscles and joints such as arthritis, osteoporosis, multiple sclerosis, Parkinson's disease, or stroke. Your muscles feel tight or stiff. Lack of motivation, activity needs too much effort. Fear of falling or injuring yourself. What you can do (check all that may help you) ☐ Always check with a healthcare provider before starting any new exercise program. ☐ Follow the 24 Hour Movement Guidelines for Adults (65+). Start incorporating physical activity into your routine where you can. Aim for 150 minutes of moderate to vigorous physical activity each week. Try activities you enjoy – you'll be more likely to stick with it. ☐ Incorporate muscle strengthening activities using major muscle groups at least twice a week, as well as physical activities that challenge balance. Use the aids recommended by your health care provider to use less energy during daily tasks. Pace yourself and plan time to rest between activities. Stop smoking or reduce how much you smoke each day. ☐ Make a plan. Choose an activity to do regularly and gradually do more. For example, if you choose walking, start with short walks and gradually walk longer. □ Talk with your doctor about your pain or discomfort. It is helpful to write
 - When you feel pain,
 - What activities cause pain, and
 - What you do to relieve the pain.

down:



Resource Name	Contact Information
211 Ontario - ask about local exercise programs or walking groups	Website: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
Alzheimer Society of Grey Bruce – ask about the Minds in Motion® Program	Website: https://alzheimer.ca/greybruce/en Phone: 519-376-7230
Canadian 24-hour Movement Guidelines for Adults (65+ Years)	Web: www.csepguidelines.ca/adults-65 Email: info@csep.ca Toll-free: 1- 877-651-3755
SouthWesthealthline.ca: Exercise and Falls Prevention Programs	Web: https://www.southwesthealthline.ca/listServices.aspx?id="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspx px: 10986®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10986®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10986®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10986®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10986®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10986®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10986®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10986®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10986®ion="https://www.s
VON: Seniors Maintaining Active Roles Together (SMART) Exercise Program	Web: <u>www.von.ca</u> Phone: (519) 376-5895 or 1-800-265-3138
YMCA of Owen Sound Grey Bruce	Web: <u>www.ymcaowensound.on.ca</u> Phone: (519) 376-0484

Risk factor: Malnutrition



Malnutrition is when our body does not get the nutrition it needs from what we eat and drink. Canada's Food Guide promotes a dietary pattern that includes a variety of foods and encourages everyone to eat or cook with others more often. Following this dietary pattern provides the nutrition and social connections we need to help us: feel our best, prevent and manage chronic disease, support the immune system, and decrease the risk of malnutrition

What can cause malnutrition? (check all that apply to you)

- Skipping meals.
- □ Not eating a variety of foods from each food group (Vegetables and Fruit, Grains, Proteins).
- Not getting enough fibre in your diet.
- Not drinking enough fluids.
- □ Dieting or changing your diet without talking with a health care provider.
- □ Not getting enough vitamins and minerals.

What you can do (check all that apply to you)

- ☐ Speak to a registered dietitian about your eating habits. If you have a small appetite, try eating smaller amounts of food more often.
- □ Follow the recommendations from Canada's Food Guide and eat plenty of vegetables and fruits, whole grain foods, and protein foods. Choose protein foods that come from plants more often. Eat 3 balanced meals each day or 6 smaller meals each day. Use the Food Guide Plate to help you:
 - Fill half your plate with vegetables
 - Fill one-quarter of your plate with a grain like rice, pasta, or bread
 - Fill one-quarter of your plate with a protein like lentils, beans (like kidney or navy), chickpeas, tofu, eggs, meat, dairy, or fish



- ☐ Choose foods high in fibre at each meal such as fruits and vegetables, whole grains, beans, and lentils.
- ☐ Compare the nutrition facts table on foods to choose products that are lower in sodium, sugars and saturated fat.
- ☐ Make water your drink of choice. As you get older your sense of thirst declines, so drink even when you're not thirsty!
- ☐ If you are over 50, take a Vitamin D supplement (400 to 1000 IU) each day.



Resource Name	Contact Information
Ontario Health811 – to find health services or get health advice from a registered dietitian.	Phone: Call <u>811</u> , ask to speak with a Registered Dietitian for free Website and online chat: <u>health811.ontario.ca</u>
211 Ontario's Community Navigators help individuals find community, social, health and government services or programs.	Website: www.211ontario.ca Phone: Call 211 or 1-866-743-7818 *Find up to date information on meal delivery services, community meals, good food boxes, income supports, food banks and more
Ask your Doctor or Family Health Team about accessing a Registered Dietician	Web: www.health.gov.on.ca/en/pro/programs/fht/fht p rogress.aspx
Canada's Food Guide	Web: https://food-guide.canada.ca/en/
Unlock Food – visit this website to find articles and tools made by dietitians.	Web: www.unlockfood.ca or www.unlockfood.ca/en/Seniors

Risk factor: Dizziness and fainting



What can cause this? (check all that apply to you)

	Brief decrease in blood flow to the brain.
	Low blood pressure.
	Side effects from some medications.
	Not getting enough food or fluids.
	Low blood sugar.
	Getting up too quickly after sitting or lying.
	Too much exercise after eating.
	Extreme pain, fear, or stress (such as witnessing an emergency).
Wha	at you can do (check all that may help you)
	If you have fainted, see your doctor. Fainting can be a sign of serious health problems.
	Sit on the side of the bed for a few minutes before you stand up.
	Follow Canada's Food Guide. Plan for 3 meals and 1 to 3 small snacks each day. Choose foods from each of the food groups at each meal.
	Drink plenty of fluids.
	Rest after meals.
	If you have diabetes, check your blood sugar regularly. Do not go a long time between meals.
	Take medications only as directed by your doctor or pharmacist.
	Have your doctor check your blood pressure and heart rate regularly.
	Have your inner ears checked.
	Wear a medical alarm that will connect you with emergency help.



Resource Name	Contact Information
211 Ontario – ask about blood pressure clinics or personal emergency response systems	Website: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
SouthWesthealthline.ca: Blood Pressure Clinics	Web: https://www.southwesthealthline.ca/listServices.aspx?id="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspx px: 106888.espx
SouthWesthealthline.ca: Personal Emergency Response Systems	Web:



Risk factor: Difficulties with vision



What can cause this? (check all that apply to you)

☐ As you get older, your eyes: Become more sensitive to light, Take longer to adjust to changes in light (from light to dark or dark to light), and Have trouble seeing colours and judging distances. Your eyesight has changed and you need a new prescription for glasses. Getting used to bifocals. Wearing dirty or scratched glasses. Low lighting causes eye strain. Disease of the eye such as cataracts, glaucoma, and infections. What you can do (check all that may help you) ☐ Clean glasses regularly. Use an eyeglass cleaner and a soft cloth. Remove your reading glasses when walking. Do not look through lower part of bifocals when going up or down stairs. Bend your head to use the upper part of the glasses. Wear sunglasses outdoors. ■ Wear glasses that cut down on glare. Pause to give your eyes time to adapt to changes in light. Use good lighting in halls, stairways, and bathrooms. Use nightlights near your bed, in the bathroom, in hallways, and where you walk in the night. If you have diabetes, keep your blood sugars in your target range. Good blood sugar control helps to prevent vision problems related to diabetes. Have your eyes checked each year.

Mark doorways and the edges of steps with a contrasting colour of paint.



Resource Name	Contact Information
211 Ontario – ask about local optometrists or diabetes education programs	Website: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
College of Opticians: Optician Search	Web: www.coptont.org/PUBLICREGISTER/index.php
College of Optometrists: Find an Optometrist	Web: www.collegeoptom.on.ca
Low Vision Information	Web: www.checkeredeye.com
Diabetes Education Programs	Web: www.diabetesgreybruce.ca Phone: Markdale: (519) 986-3040 ext. 6240 Meaford: (519) 538-1311 ext. 4227 Southampton: (519) 797-3230 ext. 3270 Wiarton: (519) 534-1260 ext. 5439 Hanover: (519) 364-2340 ext. 392 Kincardine: (519) 396-3331 ext. 4376 Owen Sound: (519) 376-2121 ext. 2876
Canadian Diabetes Association: South Western Ontario Regional Leadership Office (London)	Web: www.diabetes.ca Phone: 519.673.1752
Indigenous Services – Diabetes Grey Bruce	Web: www.diabetesgreybruce.ca/learn-more/indigenous-services/

Risk factor: Indoor hazards



What can cause this? (check all that apply to you)

	Rushing to answer the door or phone. Rushing to the bathroom.
	Slippery tubs, floors, and walkways.
	Poor lighting when getting up at night or where there is poor lighting.
	Clutter on the floor such as phone or electrical cords, shoes, or papers.
	The path to walk around furniture is not clear or wide enough, especially with a walker.
	Loose carpets, area rugs, or mats.
	Stairs and bathrooms without secure handrails and grab bars.
	Bending over to reach low objects.
	Stretching or standing on a ladder or chair to reach high objects.
	Pets and their toys.
ha	it you can do (check all that may help you)
	Do not rush to answer the door. Try to use the toilet regularly so you won't have to rush to get there. Consider continence products if you are prone to urgency or accidents
	Use non-slip mats and grab bars in bathrooms, showers, and tubs (an occupational therapist can help with grab bar installation recommendations).
	Wipe up spills promptly. Clean your floors with a cleaning product that doesn't leave them slippery.
	Fix or mark uneven floors.
	Use nightlights in the bathroom, near your bed, and in hallways. Use a commode at night if needed.
	Keep your home free of clutter.
	Ask someone to help you move your furniture to make more room to walk. Allow enough room to safely use your walking aids.
	Tack down all carpets and remove scatter rugs.
	Install handrails for all stairs and grab bars in the bathroom.

- ☐ Store items on easy to reach shelves or countertops. Do not stand on ladders, chairs or stools. Buy a long handle reacher.
- □ Watch out for pets and put away their toys.



Resource Name	Contact Information
211 Ontario – ask about	Website: www.211ontario.ca
home modification, home help, housekeeping and homemaking services	Phone: 2-1-1 or 1-866-743-7818
SouthWesthealthline.ca: Home Help and Homemaking	Web: <a href="https://www.southwesthealthline.ca/listServices.aspx?id=" https:="" listservices.aspx?id="https://www.southwesthealthline.ca/listServices.aspx." td="" www.southwesthealthline.ca="" <="">
SouthWesthealthline.ca: Home Modification	Web: <a href="https://www.southwesthealthline.ca/listServices.aspx?id=" https:="" listservices.aspx?id="https://www.southwesthealthline.ca/listServices.aspx." td="" www.southwesthealthline.ca="" <="">
Home and Community Support Services of Grey Bruce – Home Help	Web: www.hcssgreybruce.com/housekeeping/ Email: mailbox@hcssgreybruce.com Phone: (519) 372- 2091 or 1-800-267-3798
Finding Balance Alberta – Prevent Falls at Home	Web: www.findingbalancealberta.ca/preventing-falls-at-home/
Guide to Home Safety for Seniors	www.publications.gc.ca/collections/collection 201 2/aspc-phac/HP25-7-2011-eng.pdf
Find an occupational therapist	www.otontario.ca/find-an-ot/

Risk factor: Outdoor hazards



What can cause this? (check all that apply to you)

	Walking in unfamiliar places.
	Wet leaves, fallen branches, snow, ice, or water puddles on walkways around your home, sidewalks, or the street.
	Improper footwear for the type of weather.
	Poor outdoor lighting.
	Uneven sidewalks, driveways, trails, and roads.
	Unmarked curbs or speed bumps.
	Being unexpectedly knocked or bumped in crowded areas such as malls, parks, and events.
Wha	it you can do (check all that may help you)
	Walk slowly and pay attention.
	Avoid walking on wet leaves, snow, or ice if possible. If it is necessary, walk slowly and carefully.
	Wear footwear that is appropriate for the weather.
	Use walking aids as recommended by a health care provider. Carrying a cane or using a walking aid can alert others that you need a little more space.
	Walk with your body centred over your feet (not leaning or bent over). Avoid reaching or twisting when walking or standing.
	Use a waist belt pack or backpack instead of carrying a purse.
	Use a grocery cart instead of carrying heavy bags.
	Install automatic or timed lighting outside.
	Report safety concerns on public property to your local Public Works Department.
	Be aware of other people in crowded places. If possible, avoid situations

where you may be bumped.



Resource Name	Contact Information
211 Ontario – ask for your local public works department to report safety concerns for property, sidewalk, or streetlight maintenance	Website: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
Community Living Hanover and Area: HARC	Web: <u>www.clhanover.com</u> Phone: (519) 364-6100
South-East Grey Support Services: Flesherton, Markdale, and Area	Web: www.segss.com/support-services/ Phone: (519) 924-3339
Finding Balance Alberta – Getting Around in your community	Web: www.findingbalancealberta.ca/in-your-community/
Find an occupational therapist	www.otontario.ca/find-an-ot/

Risk factor: Difficulties with bladder control



What can cause this?	(check all that apply to you)
----------------------	-------------------------------

		As you get older your bladder holds less urine.
		Bladder infections.
		Weak muscles that cause leaking when you sneeze or cough.
		Medical conditions such as diabetes, stroke, and dementia.
Λ	'ha	it you can do (check all that may help you)
		Speak with your family doctor or a health care provider.
		Go to the bathroom before your bladder is full.
		Wear clothing that is easy to manage in the bathroom such as Velcro instead of buttons or zippers, or an elastic waistband instead of a belt.
		To prevent bladder infections, wipe your bottom from front to back after using the toilet. Use a clean piece of toilet paper for each wipe to prevent germs from the rectum getting into your bladder.
		Stay hydrated. Avoid drinking water right before bed to avoid needing to use the washroom in the night.
		To strengthen muscles, do pelvic floor exercises regularly.
		Use continence products to manage bladder leaks and accidents. For example, absorbent pads, pants, and sheets; condom catheters; and urinals. You can buy them at your drugstore or a medical supply store.
		Talk to a physiotherapist about bladder re-training. You may need a doctor's referral for physiotherapy.
		Avoid caffeine in drinks such as coffee, tea, or colas and foods with chocolate. Caffeine makes you pass urine more often.
		Avoid drinking alcohol.
		Keep blood sugars under good control. High blood sugars can increase the risk of bladder infection.



Resource Name	Contact Information
211 Ontario - ask about organizations that provide information, supplies, funding and/or care for the management and treatment of incontinence	Website: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
SouthWesthealthline.ca: Incontinence	Web: https://www.southwesthealthline.ca/listServices.aspx?id="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspx px: 10399®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10399®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10399®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10399®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10399®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10399®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10399®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10399®ion="https://www.southwesthealthlin
Canadian Continence Foundation	Web: http://www.canadiancontinence.ca/EN/index.php Phone: 1-800-265-9575
Home and Community Care Support Services: Continence Assessment	Web: www.healthcareathome.ca/contact/ Phone: 1-800-811-5146



Risk factor: Memory and/or concentration trouble



What can cause this? (check all that apply to you)

	As you get older, you may have some difficulties with learning
	and memory, but dramatic memory loss is not normal.
	Pain.
	Continually feeling rushed, stressed, or indecisive.
	Fear of falling.
	Worrying about poor memory or memory gaps.
	Poor appetite or not eating balanced meals.
	Feeling nervous, anxious, sad, lonely, or depressed.
	Grieving for a loved one.
	Illnesses and infections.
	Side effects of some medications.
	Medical conditions such as dementia (including Alzheimer's disease),
	stroke, brain injury, or tumour.
	Drinking too much alcohol.
Wha	nt you can do (check all that may help you)
	Talk with your family doctor about:
_	 Your memory loss and whether it is normal for your age,
	•
	 Recent loss of appetite, loss of interest in activities, difficulty sleeping or sleeping too much, pain, or discomfort.
	Make lists to remind yourself.
	Follow a daily routine. Put important items in the same place every time.
	Plan ahead and be organized. Keep a detailed calendar.
	Make associations to help you remember (such as using landmarks to help you find places).
	Repeat names when you meet new people.
	Keep your mind active with mental exercises such as crossword puzzles

or games.



Resource Name	Contact Information
211 Ontario - ask about Mental Health programs and services for seniors, bereavement programs or memory clinics	Website: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
SouthWesthealthline.ca: Mental Health for Seniors	Web: www.southwesthealthline.ca/listServices.as px?id=10234&region=GreyBruce
SouthWesthealthline.ca: Bereavement	Web: www.southwesthealthline.ca/listServices.as px?id=10162&region=GreyBruce
Owen Sound Family Health Team: Mental Health Programs	Web: www.osfht.ca/programs Phone: (519) 470-3030 x103
Brockton and Area Family Health Team: Memory Clinic	Web: <u>SERVICES + PROGRAMS Brockton and Area Family Health Team (bafht.com)</u> Email: programs@bafht.com Phone: Durham: (519) 369-3007
Alzheimer's Society, Grey Bruce	Web: www.alzheimergreybruce.com Phone: (519) 376-7230 Toll-free: 1-800-265-9013
CMHA Grey Bruce Mental Health and Addiction Services	Web: www.greybruce.cmha.ca Phone: (519) 371-3642
Ontario Brain Injury Association	Web: obia.ca/ Email: obia@obia.on.ca

Risk factor: Substance use



What can cause this? (check all that apply to you)

☐ As you get older, you are more sensitive to the effects of alcohol, cannabis and other drugs. Using alcohol or cannabis to help you sleep (but alcohol disturbs normal sleeping patterns). Using alcohol or cannabis to relieve aches and pains (but alcohol or cannabis may worsen aches and pains). One standard drink is: Stressful situations. 341 ml (12 ounces) of beer, or 341 ml (12 ounces) of cooler, Grief and loss. cider, ready-to-drink, or ☐ Feeling lonely, sad, bored, or depressed. 146 ml (5 ounces) of wine, or What you can do (check all that may help you) 44 ml (1.5 ounces) of liquor □ Talk to your doctor or pharmacist before drinking alcohol or using cannabis if you are taking medication or have a medical condition like diabetes or osteoporosis. Think about how much and why you are drinking. Talk with your doctor if you: Have more than 2 standard drinks per week or Are drinking to deal with feelings, relieve pain, or help you sleep. If you do choose to drink; drink alcohol in moderation. For every one drink of alcohol, have one non-alcoholic drink. Learn how your body responds to alcohol or cannabis as you get older. Share your feelings with someone you trust such as a family member, friend, or peer counsellor. □ Talk with a community nurse, counsellor, or doctor if you feel sad or nervous, do not feel like eating, or start losing interest in your activities. ☐ Talk with agencies that help people with alcohol issues, such as Alcoholics

☐ Tell your doctor about your aches and pains and discuss ways to manage

the problem.

Anonymous or Al-Anon.



Resource Name	Contact Information
211 Ontario - ask about mental health and addictions services	Website: www.211ontario.ca
SouthWesthealthline.ca: Alcohol and Drug Addiction	Phone: 2-1-1 or 1-866-743-7818 Web: <u>www.southwesthealthline.ca/listServices.aspx?id=10095&region=GreyBruce</u>
Mental Health and Addictions Services in Grey Bruce: Withdrawal Management Services and Addiction Day Treatment Program	Phone: (519) 376-5666 Toll-free: 1-888-525-0552
Chippewas of Nawash Unceded First Nation: National Native Alcohol and Drug Abuse Prevention Program	Phone: (519) 534-0373
Canadian Mental Health Association Grey Bruce	Web: https://greybruce.cmha.ca/addictions/new-directions/ Phone: 519- 371-3642 Toll-Free: 1-888-451-CMHA (2642)
Canada's Guidance on Alcohol & Health	Web: www.ccsa.ca/canadas-guidance-alcohol-and-health
Canada's Lower-risk Cannabis Use Guidelines	Web: www.canada.ca/en/health- canada/services/drugs- medication/cannabis/resources/lower- risk-cannabis-use-guidelines.html

Risk factor: Foot health



What can cause this? (check all that apply to you)

	to contract the contract of th
	Footwear that does not support your feet such as poorly fitting shoes or boots, slip-ons, or floppy slippers.
	Slippery soles or soles that are sticky and catch on surfaces.
	Shoes with a high and/or narrow heel.
	Untreated calluses or bunions.
	Untrimmed or ingrown toenails.
	Numbness or tingling in your feet.
Wha	it you can do (check all that may help you)
	Wear shoes that fit well, support your feet, and have a low, broad heel.
	Buy shoes made for older adults with:
	A variety of sizes,
	 Leather lining to allow stretching, and
	Extra depth.
	Choose shoes with laces or Velcro closures rather than slip-ons.
	Make sure your footwear is in good repair.
	Buy slippers that offer support, fit properly, and have closed heels.
	Use a long handled shoe horn and/or elastic laces to help you get your
_	shoes on.
	If your feet are swollen, raise them up on a pillow when sitting or lying down. Your feet should be higher than your hips.
	Wear loose fitting socks that are just tight enough to stay on your feet. Socks that are too tight can cut off blood flow to your feet.
	Ask your doctor about wearing support socks or stockings.

□ Visit a foot care or chiropody clinic. A foot care specialist can do foot care, help you learn to care for your feet, and help you choose the right shoes.



Resource Name	Contact Information
211 Ontario - ask about in- home foot care, chiropody clinics or where to find a local chiropodist or podiatrist	Website: <u>www.211ontario.ca</u> Phone: 2-1-1 or 1-866-743-7818
SouthWesthealthline.ca: Foot Care	Web: <a href="https://www.southwesthealthline.ca/listServices.aspx?id=" https:="" listservices.aspx.aspx.aspx.aspx.aspx.aspx.aspx.asp<="" listservices.aspx?id="https://www.southwesthealthline.ca/listServices.aspx?id=" td="" www.southwesthealthline.ca="">
SouthWesthealthline.ca: Chiropody Clinics	Web:



Risk factor: Bone health



What can cause this? (check all that apply to you)

- ☐ Bones naturally become less dense and weaker with age.
- ☐ Your bones may have become thin, weak and more likely to break, due to a condition called osteoporosis.
- ☐ Factors that contribute to bone loss, including:
 - Not enough balance & strengthening exercise,
 - Poor nutrition, not getting enough calcium, vitamin D, & protein,
 - Low body mass index >20,
 - Smoking,
 - Having 3 or more alcoholic drinks a day,
 - Early menopause or low estrogen in women, and
 - Some medications like prednisone or hormone treatments.

What you can do (check all that may help you)

- □ Plan for 3 meals and 1 to 3 small snacks each day.
- ☐ Choose foods from the 3 food groups at each meal.
- ☐ Choose food and drinks with calcium more often. Some common foods that have calcium include spinach, collard greens, beans, tofu, salmon, and sardines.
- ☐ Stop smoking or reduce how much you smoke.
- ☐ If you drink alcohol, avoid exceeding more than 2 standard drinks per week. See Substance Use section (page 27) for more information.
- ☐ You may not get all the calcium and vitamin D you need from foods. Talk with your doctor to see if supplements are right for you.
- ☐ Get active! Make a plan to gradually increase your physical activity. For healthy, strong bones do weight bearing exercise (such as walking, dancing or stair climbing), stretching, and exercises for strength, posture and balance. Look for an exercise program for people with osteoporosis in your community.



Resource Name	Contact Information
211 Ontario - ask about Osteoporosis screening programs or services that provide information and management programs	Website: www.211ontario.ca Phone: 2-1-1 or 1-866-743-7818
SouthWesthealthline.ca: Bone Disease	Web: https://www.southwesthealthline.ca/listServices.aspx?id="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspx px: 10157®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10157®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10157®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10157®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10157®ion="https://www.southwesthealthline.ca/listServices.aspx">https://www.southwesthealthline.ca/listServices.aspxpx: 10157®ion="https://www.southwesthealthline.ca/listServices.aspxpx: 10157®ion="https://www.southwesthealthline.co/www.southwesthealthline.co/www.southwesthealthline.co/www.southwesthealt
Osteoporosis Canada	Web: www.osteoporosis.ca Toll-free English: 1-800-463-6842 ext. 2314 Toll-free French: 1-800-977-1778
Owen Sound Family Health Team – 'Healthy Bones' Course. This program gives participants information about how to live a healthy life with osteoporosis.	Web: <u>www.osfht.ca</u> Phone: 519-470-3030 ext.103

Risk factor: Hearing difficulties




What can cause this? (check all that apply to you)

	, , , , ,
	Wax build-up in your ears.
	Hearing aids that are dirty or have low batteries.
	Inner ear problems.
	Not paying attention.
	Too much noise.
Wha	at you can do (check all that may help you)
	Have your hearing checked regularly by an audiologist. You do not need a referral from your doctor.
	Buy a hearing aid if needed. When you have your hearing aid fitted, you will be shown how to use and clean it. Clean your hearing aid often and check the batteries regularly.
	Have your doctor or health care provider check your ears for wax. Your ear canal and ear drum are delicate. Do not clean your ears with cotton-tipped swabs (Q-tips) or hair pins (bobby pins).
	In public places, sit in a quiet area if possible.
	Reduce the number of sounds. For example, turn the TV down when you talk on the phone.
	Ask people to speak clearly and slowly. If you didn't hear something,

ask them to repeat it.



Resource Name	Contact Information
211 Ontario - ask about organizations that provide hearing tests, dispense and/or service hearing aids, or programs and services for people who are deaf or hard of hearing	Website: www.211ontario.ca Phone: 2-1-1 or 1-866-743-7818
SouthWesthealthline.ca: Hearing Aids and Communication Devices	Web: www.southwesthealthline.ca/listServices.aspx?i d=10286&region=GreyBruce
SouthWesthealthline.ca: Deafness and Impaired Hearing	Web: www.southwesthealthline.ca/listServices.aspx?id=10620&region=GreyBruce
Bell Canada Specialized Phone Service	Web: www.bell.ca/Accessibility_services Toll-free: 1-800-268-9243; TTY: 1-800-268-9242
Canadian Hearing Society: London Regional Office	Web: <u>www.chs.ca</u> Phone: (519) 667-3325; TTY: 1-888-697-3613



My plan to prevent falls! A sample worksheet

Setting goals can help you be successful in making changes in your life. Think about your risk factors and the changes that could prevent a fall. You can set one goal, or one for each risk factor. Keep your worksheet handy and use it to stay on track with your goals. Here is an example of how it works.

1. Ask yourself these questions:

What am I going to do?	Walk
How much am I going to do?	Around the block
When am I going to do it?	Before lunch
How many days a week will I do it?	Three days

2. Write out your goal:

This week I will:

Walk around the block before lunch on Monday, Wednesday, and Saturday.

3. Rate your confidence: Circle the number that matches how confident you feel

1	2	3	4	5	6	7	(8)	9	10
I'm not	ready.			I think	c I can.			I can	do this!

It is important to choose a goal that you can reach. If your confidence rating is less than 7 you may not be successful. Change your goal to one you feel very confident about. It's OK to start with something small.

4. Track your progress:

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
☑ I did it!		☑ I did it!			☑ I did it!	
Comments	Comments	Comments	Comments	Comments	Comments	Comments

When you reach one goal, set another. A series of small steps can help you make big changes towards preventing falls.

My plan to prevent falls! Your worksheet



1. Answer these questions	1. /	٩nsw	er thes	e questi	ons
---------------------------	------	------	---------	----------	-----

What am I going to do?	
How much am I going to do?	
When am I going to do it?	
How many days a week will I do it?	
Vrite out your goal:	

2. V

This week I will:		

3. Rate your confidence: Circle the number that matches how confident you feel

1	2	3	4	5	6	7	8	9	10
I'm not	ready.			I think	c I can.			I can	do this!

If your rating is less than 7, adjust the goal so that you feel more confident.

4. Track your progress:

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Comments	Comments	Comments	Comments	Comments	Comments	Comments

You can prevent falls! Helpful tips for all older adults

	Take these steps to prevent falls						
1	Check Your Medications	 Ask your pharmacist to review your medications at least once a year. 					
2	Keep Active	 Exercise for a total of 150 minutes (2½ hours) each week. 					
3	Watch Your Step	 Wear supportive shoes and be careful when you walk. 					
4	Speak Up About Dizziness	 Tell your doctor if you feel dizzy or light-headed. 					

Tips for speaking to health care providers

- ✓ Write down your questions and concerns ahead of time, in order of importance. This activity will help you remember.
- ✓ Bring someone with you to appointments. They can take notes so you can listen and ask questions. If you think you will not have enough time to ask all your questions, ask to book extra appointment time.
- ✓ Ask for resources such as brochures or information sheets that you can take home to learn more.

For more information				
Grey Bruce Public Health	211			
(519) 376-9420 or 1-800-263-3456	Dial 2-1-1 on your phone			
www.publichealthgreybruce.on.ca	www.211ontario.ca			
	Home and Community Care Support			
SouthWesthealthline.ca	Services			
www.southwesthealthline.ca	1-800-811-5146			
	www.healthcareathome.ca			

About this guide

"Staying on your feet" was developed by Grey Bruce Public Health and the Grey Bruce Falls Prevention and Intervention Program.

We would like to thank:

- The Saskatoon Falls Prevention Consortium for letting us adapt their materials, the Burnaby Coalition to Prevent Falls (Fraser Health Region) for letting us adapt their "Step Wise Falls Prevention Program", and
- The South West Self Management Program for allowing us to adapt their Action Plan

