SUBSTANCEUSE INGREY BRUCE

HOW DO WE COMPARE TO ONTARIO?



OF GREY BRUCE RESIDENTS DRINK HEAVILY ON A REGULAR BASIS

HEAVY DRINKING

Overall, Grey Bruce residents are more likely than Ontarians to regularly drink alcohol in excess of Canadian Low-Risk Drinking Guidelines.

This is also true of male residents of Grey Bruce and of those aged 35 to 49 when compared to their Ontario counterparts.

SMOKING

Smoking rates in Grey Bruce are similar to Ontario rates.

17% of Grey Bruce residents smoke cigarettes either daily or occasionally, and 14% smoke daily.

OF GREY BRUCE RESIDENTS

SMOKE CIGARETTES

OF GREY BRUCE RESIDENTS **USED A TOBACCO PRODUCT OTHER** THAN CIGARETTES IN THE PAST **MONTH***



PRODUCTS

ALTERNATIVE TOBACCO

are similarly likely to have used an alternative tobacco product in the past month. This includes little cigars or cigarillos,

Grey Bruce residents and Ontarians

other cigars, electronic cigarettes, pipes, chewing tobacco or pinch or snuff, and tobacco water-pipes.

USED CANNABIS IN

43% of Grey Bruce residents have

used cannabis at least once in their lives, and 35% have used it more than once. Rates of cannabis use in Grey Bruce

are similar to Ontario rates.

OF GREY BRUCE RESIDENTS HAVE USED CANNABIS



OF GREY BRUCE RESIDENTS USED CANNABIS IN THE PAST YEAR

HE PAST YEAR

One quarter of Grey Bruce residents

used cannabis in the past year, and

11% used it more than once in the

USED CANNABIS

past year. Grey Bruce residents and Ontarians are similarly likely to have used

cannabis in the past year.

Rates of illicit drug use in Grey Bruce are similar to Ontario rates.

USED ILLICIT DRUGS


IN LIFETIME

amphetamines, MDMA, hallucinogens, solvents, heroin/opium, and steroids.

This includes cannabis if used more

than once, and any use of cocaine,

OF GREY BRUCE RESIDENTS HAVE **USED ILLICIT DRUGS**



IN PAST YEAR

Grey Bruce residents and Ontarians

are similarly likely to have used illicit

This includes cannabis if used more

than once, and any use of cocaine,

drugs in the past year.

amphetamines, MDMA,

USED ILLICIT DRUGS

hallucinogens, solvents, heroin/opium, and steroids.

SUMMARY



NOTES:

estimates.



High rates of heavy drinking

Most subtances used at

rates similar to Ontario

- Alternative tobacco product use among 50 to 64 and 65+ year-olds 3. Data source: Canadian Community Health Survey, 2015-16

